Quarterly Noise Report

Prepared For:
California Department of Transportation (Caltrans)
Division of Aeronautics

3rd Quarter 2024 July 1, 2024 – September 30, 2024



Airport Noise Office

December 13, 2024



Quarterly Noise Report 3rd Quarter 2024 (July 1, 2024 through September 30, 2024)

On May 24, 2012, the California Department of Transportation (Caltrans), Division of Aeronautics, confirmed via a correspondence letter that the County of Santa Clara verified San Jose Mineta International Airport (SJC) achieved a zero noise impact area pursuant to the California Code of Regulations, Title 21 (Public Works), Division 2.5 (Division of Aeronautics), Chapter 6 (Noise Standards), Article 1 (General), Section 5012 (Airport Noise Standard) as of its 2nd Quarter 2011 Quarterly Noise Report. The letter went on to state that having met the standard, SJC no longer requires a variance.

This Quarterly Noise Report for the 3rd Quarter of 2024 was prepared by the Airport Noise Office at San Jose Mineta International Airport (SJC), in accordance with the California Noise Standards (California Code of Regulations, Title 21, Section 5000 et seq.).

Rosalyn Bond

Deputy Director of Aviation

San Jose Mineta International Airport

Table of Contents

| Summary of Statistical Information for the California Department of Transportation (Caltrans) Di of Aeronautics | |
|--|---|
| Aircraft Noise Measurements and Modeling | |
| Table 1 – Total Aircraft Operations | |
| Table 2 – Remote Monitoring Terminal (RMT) Locations | 4 |
| Table 3 – Daily Community Noise Equivalent Level (CNEL) Values – July 2024 | 5 |
| Table 4 – Daily Community Noise Equivalent Level (CNEL) Values – August 2024 | 6 |
| Table 5 – Daily Community Noise Equivalent Level (CNEL) Values – September 2024 | 7 |
| Table 6 – Monthly Community Noise Equivalent Level (CNEL) Values | 8 |
| Table 7 – Annual Community Noise Equivalent Level (CNEL) Values | 9 |

Summary of Statistical Information for the California Department of Transportation (Caltrans) Division of Aeronautics

- 1. Size of Noise Impact Area as defined in the Noise Standards (California Code of Regulations, Title 21, Chapter 2.5, Subchapter 6):

 0 Square Miles
- Estimated number of dwelling units included in the Noise Impact Area as defined in the Noise Standards*:
 O Dwelling Units
- 3. Estimated number of people residing within the Noise Impact Area as defined in the Noise Standards*:

0 People

- 4. Identification of the aircraft type having the highest takeoff noise level operating at this airport together with the estimated number of operations by this aircraft type during the calendar quarter reporting period:
 - Challenger 350 (CL35); 652 Departures
- Total number of aircraft operations during the calendar quarter: (Not Mandatory) 5. 42,785
- 6. Number of Air Carrier operations during the calendar quarter: (Not Mandatory) 28,779
- 7. Percentage of Air Carrier operations by aircraft certificated under Federal Aviation Regulation (FAR) Part 36, Stage III: (Not Mandatory) 100%
- 8. Estimated number of operations by General Aviation aircraft during the calendar quarter: (Not Mandatory) 8,133
- 9. Estimated number of operations by Military aircraft during the calendar quarter: (Not Mandatory)
 22
- 10. Estimated number of operations by Taxi/Commuter aircraft during the calendar quarter: (Not Mandatory) 5,851

Form DOA 617, Dated 10/89

^{*} Calculations Based Upon 2020 Census Block Boundary Data.

Aircraft Noise Measurements and Modeling

Table 1 contains statistics of aircraft operations based upon the Federal Aviation Administration (FAA) Air Traffic Control Tower (ATCT) counts at San Jose Mineta International Airport (SJC).

Data contained within Tables 2-7 below was obtained from queries and reports run within Envirosuite Airport Noise and Operations Monitoring System (ANOMS) installed at SJC. Table 2 contains the locations of the permanent Remote Monitoring Terminals (RMT) maintained by Envirosuite in the surrounding communities of SJC.

Tables 3-5 contains a summary of daily Community Noise Equivalent Level (CNEL) measurements correlated to local aircraft operations for the three (3) months of the calendar quarter reporting period. Table 6 contains a summary of the monthly local aircraft measured noise levels (dB CNEL). Table 7 contains a summary of the annual local aircraft measured noise levels (dB CNEL).

The 65 dB CNEL noise contour for the period between October 1, 2023 through September 30, 2024 is included at the end of this report. The noise contour was prepared using the Federal Aviation Administration's (FAA) Aviation Environmental Design Tool (AEDT) software and adjusted using the actual CNEL measurements at RMT sites located in areas capable of determining the extent of the CNEL contour or closure points. The noise contour figure includes the locations of the permanent RMTs for reference.

The FAA AEDT software is a state-of-the-art software system that models aircraft performance in space and time to estimate fuel consumption, emissions, noise, and air quality consequences. The modeling methodology fulfills the requirements of the State of California, Title 21, California Noise Standards, specifically section 5032. Validation of the Noise Impact Boundary, which is the 65 dB CNEL contour.

Table 1 – Total Aircraft Operations

| Operations | 3rd Quarter 2024 | 2nd Quarter 2024 | 1st Quarter 2024 | 4th Quarter 2023 |
|-------------------|------------------|------------------|------------------|------------------|
| Total | 42,785 | 42,166 | 37,842 | 41,190 |
| Air Carrier/Cargo | 28,779 | 26,897 | 24,650 | 27,540 |
| General Aviation | 8,133 | 8,811 | 7,174 | 7,809 |
| Military | 22 | 23 | 49 | 33 |
| Taxi/Commuter | 5,851 | 6,435 | 5,969 | 5,808 |

Table 2 – Remote Monitoring Terminal (RMT) Locations

| RMT # | Location | Latitude | Longitude |
|-------|---|-----------|-------------|
| 101 | Oak Street, San Lose, CA | 37.321292 | -121.881981 |
| 102 | Center for Performing Arts, San I ose, CA | 37.329572 | -121.892365 |
| 104 | Bellarmine Prep School, San Lose, CA | 37.340997 | -121.917993 |
| 105 | Rosemary Garden, San Lose, CA | 37.362400 | -121.914750 |
| 106 | St. ohn/Autumn, San ose, CA | 37.334240 | -121.899946 |
| 107 | Fire Station 6, Santa Clara, CA | 37.395160 | -121.949916 |
| 108 | MacGregor Lane, Santa Clara, CA | 37.386895 | -121.946527 |
| 109 | Lake Santa Clara, Santa Clara, CA | 37.392133 | -121.967717 |
| 110 | Chestnut Street, Santa Clara, CA | 37.390153 | -121.959598 |
| 111 | Fuller Street Park, Santa Clara, CA | 37.397987 | -121.965516 |
| 112 | Mountain View/Alviso, Santa Clara, CA | 37.409690 | -121.979440 |
| 114 | Fairway Glen Park, Santa Clara, CA | 37.405623 | -121.961404 |
| 115 | 3rd/Reed, San Lose, CA | 37.328608 | -121.882987 |

Table 3 – Daily Community Noise Equivalent Level (CNEL) Values – July 2024

| Day | | 1 | 1 | 1 | | 1 | ····· | Termi | 1 | 1 | 1 | 1 | 1 |
|-----------|------|------|------|------|------|------|-------|-------|------|------|------|------|------|
| Day | 101 | 102 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 115 |
| 1 | 61.9 | 67.3 | * | 53.3 | 64.5 | 60.9 | 64.8 | 61.9 | 64.8 | 62.8 | 59.1 | * | 53.9 |
| 2 | 60.8 | 64.2 | * | 51.3 | 63.5 | 58.8 | 63.6 | 60.2 | 63.1 | 61.5 | 57.8 | * | 51. |
| 3 | 61.9 | 64.9 | * | 54.8 | 64.1 | 59.3 | 63.8 | 60.2 | 63.3 | 69.7 | 57.8 | * | 51. |
| 4 | 62.7 | * | * | 52.6 | 70.8 | 59.1 | 63.7 | 59.6 | 63.3 | 61.5 | 57.0 | * | 54.3 |
| 5 | 60.4 | 63.9 | * | 47.5 | 63.8 | 60.1 | 63.8 | 60.3 | 63.3 | 61.4 | 56.7 | * | 49.9 |
| 6 | 61.7 | 65.3 | * | 48.7 | 64.7 | 58.7 | 63.4 | 59.9 | 63.0 | 61.2 | 56.7 | * | 52. |
| 7 | 62.8 | 67.3 | * | 63.9 | 66.1 | 60.9 | 65.9 | 62.4 | 65.7 | 64.0 | 59.1 | * | 52. |
| 8 | 63.3 | 66.7 | 57.0 | 56.0 | 66.2 | 60.7 | 65.2 | 62.1 | 65.1 | 63.3 | 58.7 | * | 53. |
| 9 | 62.9 | 63.2 | 56.0 | 53.2 | 65.2 | 60.6 | 64.7 | 62.4 | 65.0 | 63.4 | 59.1 | * | 56. |
| 10 | 61.4 | 65.0 | 53.5 | 50.0 | 64.5 | 59.8 | 64.2 | 60.8 | 64.2 | 62.4 | 57.5 | * | 54. |
| 11 | 61.6 | 65.2 | 53.6 | 50.9 | 65.0 | 59.4 | 64.6 | 61.0 | 64.3 | 62.6 | 58.1 | 56.7 | 55. |
| 12 | 62.3 | 66.2 | 55.7 | 49.9 | 65.9 | 61.7 | 65.2 | 62.0 | 65.3 | 63.3 | 59.1 | 58.6 | 52. |
| 13 | 61.6 | 65.2 | 52.7 | 50.8 | 64.8 | 59.9 | 64.9 | 61.8 | 64.9 | 63.2 | 58.7 | 59.0 | 51. |
| 14 | 62.7 | 66.4 | 51.2 | 52.6 | 66.2 | 60.8 | 65.5 | 62.7 | 65.5 | 63.9 | 59.9 | 59.7 | 52. |
| 15 | 63.0 | 66.7 | 56.4 | 55.4 | 65.8 | 61.2 | 65.6 | 62.7 | 65.3 | 63.4 | * | 59.4 | 54. |
| 16 | 62.4 | 65.9 | 57.4 | 49.2 | 65.6 | 62.8 | 65.2 | 62.4 | 65.0 | 63.3 | * | 60.2 | 53. |
| 17 | 62.4 | 66.4 | 60.0 | 54.6 | 66.1 | 60.8 | 65.4 | 62.6 | 65.1 | 63.3 | * | 59.4 | 52. |
| 18 | 63.4 | 66.9 | 55.6 | 54.8 | 66.3 | 61.7 | 65.9 | 62.7 | 65.7 | 64.2 | * | 60.4 | 53. |
| 19 | 63.1 | 66.5 | 55.0 | 51.6 | 66.1 | 60.5 | 65.0 | 61.7 | 64.6 | 62.6 | * | 58.9 | 54. |
| 20 | 62.3 | 65.6 | 54.2 | 49.9 | 65.4 | 60.5 | 64.7 | 62.1 | 65.1 | 64.0 | * | 59.1 | 55. |
| 21 | 62.1 | 65.6 | 51.4 | 49.6 | 65.4 | 60.3 | 64.6 | 61.8 | 64.5 | 62.8 | 53.1 | 59.4 | 51. |
| 22 | 62.8 | 66.5 | 55.6 | 58.8 | 66.1 | 61.2 | 65.6 | 62.8 | 65.7 | 64.0 | 58.6 | 59.5 | 52. |
| 23 | 62.1 | 65.5 | 61.2 | 54.0 | 65.2 | 60.7 | 63.9 | 60.7 | 64.0 | 62.2 | 58.3 | 57.5 | 52. |
| 24 | 61.4 | 65.0 | 57.5 | 51.9 | 64.9 | 60.0 | 64.3 | 61.4 | 64.5 | 62.7 | 59.8 | 57.9 | 51. |
| 25 | 62.3 | 66.4 | 56.7 | 53.9 | 65.5 | 61.2 | 65.7 | 62.7 | 65.8 | 64.1 | * | 59.8 | 52. |
| 26 | 62.7 | 66.7 | 53.7 | 52.1 | 66.0 | 61.5 | 65.7 | 62.6 | 65.3 | 68.7 | 61.0 | 59.5 | 52. |
| 27 | 62.5 | 66.3 | 50.6 | 53.0 | 65.6 | 61.1 | 65.2 | 62.2 | 64.9 | 70.0 | 58.8 | 59.7 | 52. |
| 28 | 63.8 | 67.2 | 58.7 | 58.6 | 66.9 | 58.4 | 62.2 | 59.8 | 63.2 | 69.4 | 57.9 | 56.9 | 60. |
| 29 | 63.3 | 67.2 | 56.3 | 52.6 | 66.2 | 61.3 | 65.3 | 62.3 | 64.8 | 68.8 | 59.3 | 59.7 | 57. |
| 30 | 62.3 | 65.7 | 57.0 | 55.6 | 65.4 | 60.2 | 64.2 | 61.2 | 63.9 | 68.3 | 58.2 | 58.4 | 52. |
| 31 | 62.1 | 65.7 | 56.2 | 50.8 | 65.3 | 60.7 | 64.3 | 61.1 | 64.1 | 68.3 | 58.4 | 57.9 | 51. |
| Average | 62.4 | 66.0 | 56.3 | 54.7 | 65.8 | 60.6 | 64.8 | 61.7 | 64.7 | 65.3 | 58.5 | 59.0 | 54. |
| # of Days | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 20 | 31 | 31 |

Table 4 – Daily Community Noise Equivalent Level (CNEL) Values – August 2024

| Day | Remote Monitoring Terminal (RMT) | | | | | | | | | | | , | |
|-----------|----------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Day | 101 | 102 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 115 |
| 1 | 62.9 | 66.4 | 58.7 | 54.1 | 66.0 | 60.5 | 65.1 | 61.8 | 65.0 | 67.4 | 59.3 | 59.9 | 52.7 |
| 2 | 62.8 | 66.2 | 54.5 | 53.0 | 65.9 | 64.0 | 64.7 | 61.8 | 64.7 | 62.7 | 58.2 | 58.9 | 53.5 |
| 3 | 61.8 | 65.0 | 52.9 | 51.9 | 64.5 | 60.0 | 64.0 | * | 64.1 | 62.1 | 57.4 | 57.8 | 53.0 |
| 4 | 63.0 | 66.7 | 55.0 | 52.5 | 66.2 | 60.0 | 64.9 | * | 64.8 | 63.5 | 58.1 | 59.1 | 53.4 |
| 5 | 62.7 | 66.3 | 54.5 | 56.3 | 65.9 | 59.4 | 63.9 | * | 63.6 | 61.6 | 57.1 | 57.9 | 53.7 |
| 6 | 62.0 | 65.4 | 54.9 | 53.2 | 64.4 | 60.6 | 64.2 | * | 64.3 | 62.0 | 56.9 | 58.0 | 51.0 |
| 7 | 61.1 | 64.9 | 56.7 | 52.5 | 64.7 | 59.6 | 64.2 | * | 64.3 | 61.9 | 57.3 | 57.8 | 51.2 |
| 8 | 62.8 | 66.3 | 57.1 | 53.7 | 66.0 | 61.1 | 65.3 | * | 65.6 | 63.9 | 59.4 | 59.8 | 54.7 |
| 9 | 62.6 | 66.7 | 55.2 | 53.0 | 66.5 | 59.9 | 64.6 | * | 64.5 | 62.5 | 57.8 | 58.6 | 53.5 |
| 10 | 60.8 | 67.5 | 53.8 | 49.5 | 64.5 | 59.6 | 63.9 | * | 63.7 | 61.7 | 56.7 | 58.0 | 53.0 |
| 11 | 63.4 | 66.9 | 54.5 | 52.5 | 66.8 | 61.1 | 65.3 | * | 65.3 | 63.5 | 59.0 | 60.1 | 55.9 |
| 12 | 62.8 | 66.4 | 53.9 | 53.8 | 65.9 | 63.7 | 64.6 | * | 64.5 | 62.4 | 58.2 | 59.4 | 54.3 |
| 13 | 62.1 | 65.3 | 53.7 | 55.1 | 65.0 | 60.8 | 64.4 | * | 64.0 | 62.0 | 57.7 | 59.4 | 52.4 |
| 14 | 62.3 | 65.7 | 54.0 | 51.6 | 65.3 | 61.1 | 64.3 | 60.9 | 64.1 | 65.0 | 57.7 | 58.9 | 53.0 |
| 15 | 62.8 | 57.7 | 55.6 | 51.5 | 66.0 | 61.8 | 65.2 | 62.7 | 65.6 | 63.2 | 59.6 | 60.4 | 56. |
| 16 | 62.2 | * | 53.4 | 54.2 | 65.5 | 61.2 | 64.9 | 62.3 | 64.7 | 62.7 | 58.8 | 59.9 | 53.6 |
| 17 | 61.2 | * | 54.5 | 46.6 | 64.4 | 59.5 | 63.7 | 61.1 | 63.7 | 62.0 | 58.0 | 58.8 | 51.3 |
| 18 | 63.4 | * | 51.7 | 53.9 | 66.3 | 61.5 | 65.6 | 62.8 | 65.2 | 63.3 | 59.6 | 60.8 | 53.9 |
| 19 | 63.1 | * | 59.8 | 51.0 | 66.2 | 62.5 | 64.9 | 62.1 | 64.5 | 63.0 | 58.4 | 59.6 | 54.0 |
| 20 | 61.7 | * | 56.6 | 62.7 | 64.4 | 59.9 | 63.4 | 60.6 | 63.0 | 61.2 | 57.2 | 58.4 | 53.6 |
| 21 | 61.8 | * | 58.0 | 62.9 | 65.2 | 60.5 | 64.1 | 61.4 | 64.4 | 61.9 | 58.0 | 59.1 | 52.7 |
| 22 | 63.2 | * | 59.2 | 61.5 | 66.1 | 62.1 | 65.6 | 63.2 | 65.4 | 63.6 | 60.2 | 60.7 | 53.9 |
| 23 | 62.9 | * | 55.5 | 57.1 | 65.8 | 62.0 | 65.5 | 62.7 | 66.2 | 63.6 | 59.8 | 60.8 | 53.8 |
| 24 | 60.6 | * | 52.0 | 55.5 | 63.7 | 59.2 | 63.2 | 60.3 | 63.0 | 61.8 | 57.4 | 58.3 | 54. |
| 25 | 62.7 | * | 54.3 | 55.1 | 66.8 | 60.6 | 64.3 | 61.7 | 63.8 | 63.0 | 58.2 | 59.2 | 53.7 |
| 26 | 62.2 | * | 52.3 | 58.1 | 65.1 | 59.6 | 63.3 | 60.4 | 63.1 | 60.9 | 57.0 | 58.0 | 52.8 |
| 27 | 59.9 | * | 52.6 | 54.9 | 62.8 | 59.0 | 63.0 | 60.0 | 62.7 | 73.0 | 56.5 | 57.4 | 49.8 |
| 28 | 60.5 | * | 50.5 | 54.4 | 63.5 | 59.6 | 63.6 | 60.6 | 63.7 | 77.3 | 57.6 | 57.9 | 51.6 |
| 29 | 62.3 | * | 50.8 | 56.0 | 65.2 | 62.2 | 65.2 | 62.5 | 65.2 | 74.1 | 59.4 | 59.8 | 57.2 |
| 30 | 62.6 | * | 50.7 | 52.5 | 66.5 | 60.7 | 65.1 | 62.1 | 65.1 | 63.0 | 58.8 | 58.9 | 57.0 |
| 31 | 60.3 | * | 52.5 | 50.5 | 63.1 | 58.9 | 63.6 | 60.6 | 63.4 | 61.8 | 57.6 | 57.9 | 50.9 |
| Average | 62.2 | 65.9 | 55.2 | 55.9 | 65.4 | 60.9 | 64.5 | 61.7 | 64.4 | 67.0 | 58.3 | 59.1 | 53.7 |
| # of Days | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |

6

Table 5 – Daily Community Noise Equivalent Level (CNEL) Values – September 2024

| Davi | | | | Ren | note N | /onit | oring [*] | Termi | nal (R | MT) | | | |
|----------------|----------|----------|---------|--------|--------|-------|--------------------|-------|--------|------|------|------|------|
| Day | 101 | 102 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 115 |
| 1 | 60.9 | * | 57.0 | 50.8 | 63.8 | 58.7 | 62.3 | 59.7 | 62.2 | 60.3 | 56.6 | 57.7 | 52.9 |
| 2 | 62.8 | * | 52.5 | 55.2 | 65.7 | 60.9 | 64.6 | 61.7 | 63.9 | 62.3 | 57.9 | 59.6 | 54.0 |
| 3 | 60.3 | * | 52.8 | 55.1 | 63.2 | 59.2 | 63.4 | 60.0 | 63.1 | 61.2 | 56.5 | 57.5 | 53.1 |
| 4 | 60.4 | * | 58.2 | 50.8 | 63.8 | 59.1 | 63.0 | 60.4 | 62.8 | 60.9 | 57.0 | 57.8 | 51.9 |
| 5 | 61.5 | * | 55.4 | 52.8 | 64.7 | 58.4 | 62.8 | 59.8 | 62.8 | 60.8 | 56.7 | 56.8 | 55.2 |
| 6 | 61.6 | * | 60.9 | 51.8 | 64.4 | 58.4 | 63.4 | 59.5 | 62.4 | 60.1 | 56.0 | 56.0 | 53.4 |
| 7 | 61.2 | * | 50.8 | 54.0 | 63.8 | 59.2 | 62.7 | 59.9 | 62.8 | 60.6 | 56.0 | 56.4 | 50.2 |
| 8 | 62.5 | * | 57.4 | 51.4 | 65.8 | 59.3 | 64.2 | 61.5 | 64.2 | 62.2 | 58.0 | 58.0 | 52.8 |
| 9 | 62.8 | * | 56.5 | 57.5 | 63.9 | 62.2 | 64.6 | 62.0 | 70.4 | 62.8 | 58.8 | 59.4 | 56.4 |
| 10 | 61.5 | * | 55.4 | 56.3 | 58.5 | 59.8 | 63.8 | 60.2 | 65.5 | 61.1 | 56.8 | 57.9 | 56.9 |
| 11 | 62.2 | 66.4 | 54.6 | 54.5 | 59.6 | 60.6 | 64.2 | 60.9 | 63.7 | 61.4 | 57.4 | 59.2 | 57.2 |
| 12 | 63.0 | 65.1 | 55.3 | 53.3 | 60.2 | 61.1 | 65.0 | 62.5 | 65.1 | 63.2 | 60.3 | 60.3 | 58.2 |
| 13 | 61.6 | 51.8 | 64.2 | 57.2 | 63.4 | 60.9 | 64.8 | 62.0 | 65.0 | 63.1 | 57.7 | 59.5 | 54.2 |
| 14 | 60.4 | * | 49.3 | 54.3 | 63.2 | * | 63.1 | 60.4 | 63.3 | 61.5 | 57.3 | 57.6 | 53.6 |
| 15 | 64.0 | * | 51.7 | 60.6 | 66.5 | * | 65.3 | 62.0 | 64.3 | 62.3 | 49.4 | 60.3 | 55.5 |
| 16 | 62.7 | * | 54.3 | 59.7 | 66.2 | * | 64.9 | 61.6 | 64.4 | 62.4 | * | 59.9 | 53.8 |
| 17 | 61.4 | * | 54.6 | 55.5 | 64.3 | * | 64.0 | 60.8 | 63.5 | 62.5 | 55.0 | 59.8 | 54.3 |
| 18 | 61.6 | 66.9 | 54.9 | 52.0 | 64.2 | 60.0 | 64.1 | 61.5 | 64.1 | 62.1 | 57.7 | 58.8 | 54.4 |
| 19 | 62.4 | 65.6 | 54.5 | 53.7 | 65.8 | 60.7 | 65.0 | 61.8 | 64.8 | 62.8 | 58.9 | 59.3 | 54.3 |
| 20 | 62.2 | 65.8 | 52.3 | 51.6 | 65.7 | 61.6 | 65.4 | 62.8 | 66.0 | 64.0 | 59.7 | 60.2 | 57.0 |
| 21 | 62.3 | 66.2 | 55.1 | 56.8 | 65.2 | 56.2 | 59.6 | 56.7 | 59.9 | 57.8 | 54.1 | 54.0 | 58.9 |
| 22 | 63.2 | 66.0 | 51.1 | 52.9 | 65.8 | 59.8 | 64.4 | 61.3 | 64.1 | 62.0 | 57.4 | 58.4 | 54.2 |
| 23 | 61.7 | 65.8 | 62.3 | 58.6 | 65.1 | 57.3 | 62.2 | 62.6 | 63.4 | 62.4 | 59.1 | 55.8 | 51.5 |
| 24 | 60.1 | 65.4 | 50.8 | 55.4 | 63.4 | 55.8 | 60.6 | 61.5 | 62.4 | 61.5 | 58.3 | 55.1 | 49.2 |
| 25 | 60.8 | 63.6 | 51.0 | 53.3 | 63.9 | 58.0 | 61.9 | 62.5 | 63.0 | 62.3 | 59.2 | 56.2 | 53.6 |
| 26 | 62.3 | 56.9 | 54.5 | 49.9 | 65.4 | 57.9 | 62.2 | 63.3 | 63.8 | 63.0 | 59.9 | 56.6 | 53.4 |
| 27 | 62.3 | 66.9 | 54.5 | 55.6 | 65.2 | 60.3 | 63.0 | 62.9 | 63.7 | 62.9 | 59.6 | 57.1 | 53.7 |
| 28 | 60.5 | * | 53.4 | 54.5 | 63.4 | 59.2 | 64.0 | 61.0 | 63.8 | 61.9 | 57.4 | 58.1 | 50.8 |
| 29 | 62.4 | * | 50.6 | 51.5 | 65.4 | 61.9 | 64.7 | 61.6 | 64.4 | 62.4 | 57.8 | 58.9 | 53.0 |
| 30 | 61.5 | * | 56.1 | 60.5 | 64.8 | 59.5 | 63.9 | 61.2 | 63.7 | 64.6 | 57.6 | 57.8 | 51.8 |
| Average | 61.9 | 65.2 | 56.4 | 55.6 | 64.5 | 59.7 | 63.8 | 61.4 | 64.3 | 62.1 | 57.8 | 58.3 | 54.6 |
| # of Days | 30 | 28 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Note: * indica | ites day | s with n | nissing | NMT da | ta | | | | | | | | |

Table 6 – Monthly Community Noise Equivalent Level (CNEL) Values

| Month Voor | | | | | Remote | e Monit | oring T | ermina | al (RMT) | | | | |
|-------------------|------|------|------|------|--------|---------|---------|--------|----------|------|------|------|------|
| Month, Year | 101 | 102 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 115 |
| October, 2023 | 62.0 | 65.3 | 56.4 | 59.4 | 64.6 | 60.3 | 64.1 | 61.3 | 64.0 | 63.0 | 58.6 | 58.7 | 55.0 |
| # of Days | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 22 | 31 | 31 | 31 | 31 | 31 |
| November, 2023 | 62.0 | 64.7 | 59.2 | 60.4 | 64.1 | 59.5 | 63.1 | 61.0 | 63.8 | 63.3 | 58.9 | 57.8 | 57.2 |
| # of Days | 30 | 20 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 27 | 30 | 30 |
| December, 2023 | 62.1 | 65.5 | 58.9 | 61.5 | 65.0 | 59.7 | 63.4 | 61.2 | 64.6 | 63.4 | 59.7 | 57.9 | 58.6 |
| # of Days | 31 | 27 | 31 | 31 | 31 | 31 | 31 | 21 | 31 | 31 | 31 | 31 | 31 |
| 4th Quarter 2023 | 62.0 | 65.2 | 58.3 | 60.5 | 64.6 | 59.8 | 63.6 | 61.2 | 64.1 | 63.3 | 59.1 | 58.2 | 57.2 |
| # of Days | 92 | 78 | 92 | 92 | 92 | 92 | 92 | 73 | 92 | 92 | 89 | 92 | 92 |
| January, 2024 | 61.7 | 65.1 | 59.9 | 59.7 | 64.8 | 59.8 | 63.0 | 60.5 | 64.0 | 66.9 | 59.2 | 57.5 | 58.5 |
| # of Days | 31 | 29 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| February, 2024 | 61.6 | 65.0 | 59.5 | 59.9 | 64.8 | 59.6 | 63.3 | 60.8 | 64.2 | 62.1 | 59.5 | 57.6 | 58.6 |
| # of Days | 29 | 29 | 16 | 23 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| March, 2024 | 62.4 | 65.6 | 59.6 | 59.8 | 65.1 | 60.3 | 63.6 | 61.1 | 64.3 | 64.1 | 60.1 | 58.9 | 58.4 |
| # of Days | 31 | 31 | 21 | 31 | 31 | 31 | 31 | 31 | 31 | 20 | 31 | 26 | 31 |
| 1st Quarter 2024 | 61.9 | 65.2 | 59.7 | 59.8 | 64.9 | 59.9 | 63.3 | 60.8 | 64.2 | 64.8 | 59.6 | 58.0 | 58.5 |
| # of Days | 91 | 89 | 68 | 85 | 91 | 91 | 91 | 91 | 91 | 80 | 91 | 86 | 91 |
| April, 2024 | 62.7 | 65.6 | 56.8 | 58.0 | 65.5 | 60.0 | 63.9 | 61.7 | 64.4 | 62.7 | 59.6 | * | 56.1 |
| # of Days | 30 | 30 | 23 | 30 | 30 | 30 | 30 | 30 | 30 | 29 | 30 | 0 | 30 |
| May, 2024 | 62.8 | 65.9 | 56.8 | 56.3 | 65.6 | 60.3 | 64.1 | 61.1 | 63.9 | 63.5 | 58.3 | * | 59.6 |
| # of Days | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 0 | 31 |
| June, 2024 | 63.0 | 66.1 | 57.9 | 55.2 | 65.3 | 60.1 | 64.2 | 62.2 | 64.6 | 66.1 | 59.4 | * | 57.8 |
| # of Days | 30 | 29 | 24 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 26 | 0 | 30 |
| 2nd Quarter 2024 | 62.8 | 65.9 | 57.2 | 56.7 | 65.4 | 60.1 | 64.0 | 61.7 | 64.3 | 64.3 | 59.0 | * | 58.1 |
| # of Days | 91 | 90 | 78 | 91 | 91 | 91 | 91 | 91 | 91 | 90 | 87 | 0 | 91 |
| July, 2024 | 62.4 | 66.0 | 56.3 | 54.7 | 65.8 | 60.6 | 64.8 | 61.7 | 64.7 | 65.3 | 58.5 | 59.0 | 54.0 |
| # of Days | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 20 | 31 | 31 |
| August, 2024 | 62.2 | 65.9 | 55.2 | 55.9 | 65.4 | 60.9 | 64.5 | 61.7 | 64.4 | 67.0 | 58.3 | 59.1 | 53.7 |
| # of Days | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| September, 2024 | 61.9 | 65.2 | 56.4 | 55.6 | 64.5 | 59.7 | 63.8 | 61.4 | 64.3 | 62.1 | 57.8 | 58.3 | 54.6 |
| # of Days | 30 | 28 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 3rd Quarter 2024 | 62.2 | 65.7 | 56.0 | 55.4 | 65.3 | 60.4 | 64.4 | 61.6 | 64.5 | 65.2 | 58.2 | 58.8 | 54.1 |
| # of Days | 92 | 90 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 81 | 92 | 92 |
| Annual | 62.2 | 65.5 | 58.0 | 58.6 | 65.1 | 60.1 | 63.8 | 61.3 | 64.3 | 64.5 | 59.0 | 58.4 | 57.3 |
| # of Days | 366 | 347 | 330 | 360 | 366 | 366 | 366 | 347 | 366 | 354 | 348 | 270 | 366 |
| Online Percentage | 100% | 95% | 90% | 99% | 100% | 100% | 100% | 95% | 100% | 97% | 95% | 74% | 100% |

Table 7 – Annual Community Noise Equivalent Level (CNEL) Values

| | Remote Monitoring Terminal (RMT) | | | | | | | | | |
|-------|----------------------------------|-------------|-------------|-------------|--|--|--|--|--|--|
| RMT # | 3rd Quarter | 2nd Quarter | 1st Quarter | 4th Quarter | | | | | | |
| | 2024 | 2024 | 2024 | 2023 | | | | | | |
| 101 | 62.2 | 62.4 | 62.8 | 62.0 | | | | | | |
| 102 | 65.5 | 65.6 | 65.9 | 65.2 | | | | | | |
| 104 | 58.0 | 57.9 | 58.2 | 58.3 | | | | | | |
| 105 | 58.6 | 58.9 | 59.2 | 60.5 | | | | | | |
| 106 | 65.1 | 65.0 | 65.1 | 64.6 | | | | | | |
| 107 | 60.1 | 60.1 | 60.3 | 59.8 | | | | | | |
| 108 | 63.8 | 63.8 | 64.1 | 63.6 | | | | | | |
| 109 | 61.3 | 61.4 | 61.5 | 61.2 | | | | | | |
| 110 | 64.3 | 64.2 | 64.1 | 64.1 | | | | | | |
| 111 | 64.5 | 63.9 | 63.5 | 63.3 | | | | | | |
| 112 | 59.0 | 59.2 | 59.2 | 59.1 | | | | | | |
| 114 | 58.4 | 58.2 | 58.5 | 58.2 | | | | | | |
| 115 | 57.3 | 57.8 | 58.0 | 57.2 | | | | | | |